

2017 AAO Annual Session E-Posters

Electronic Posters (E-Posters) will be available for viewing throughout the Annual Session at the E-Poster booth located in the San Diego Convention Center Exhibit Hall. E-Posters will also be available for viewing on the AAO website after Annual Session until July 31, 2017. Over 500 E-Poster titles were accepted to be presented at the 2017 AAO Annual Session. This takes the place of the Poster display.

Volumetric cephalometric analysis
Ehab Abdel Bar, et al.
Los Angeles, CA, USA

Completion of a case with severe crowding and first premolars extraction within five appointments: a case report
Ahmad Abdelkarim
Jackson, MS, USA

3-dimensional facial soft tissue changes following maxillary skeletal expansion
Sara Abedini, et al.
Los Angeles, CA, USA

Orthodontic treatment of a patient with Kartagener Syndrome: a case report
Pelin Acar, Mustafa Ersoz
Malatya, Turkey

Geometric morphometric analysis of the influence of three-dimensional basicranial shape on facial asymmetry
Sara Adabi, et al.
San Francisco, CA, USA

Mandibular symphyseal surface area and pattern in different skeletal relationships: a 2D quantitative analysis
Ahmed Afify, Amal Linjawi
Jeddah, Saudi Arabia

The conformity between the arch dimensions of preformed orthodontic wires and dental arch form of a sample of Pakistani subjects
Maheen Ahmed, et al.
Karachi, Pakistan

Evaluation of stability after preorthodontic orthognathic surgery using cone beam computed tomography: a comparison with conventional treatment
Hye-rim Ahn, et al.
Seoul, South Korea

Postoperative changes of condylar position in asymmetry patients
Hyo-Won Ahn, et al.
Dongdaemun-gu, South Korea

Sella Turcica variations in skeletal Class I, Class II, and Class III adult subjects: a CBCT study
Ji Hyun Ahn, Prashanti Bollu
Henderson, NV, USA

Association of hypodontia and microdontia with taurodontism in a Nigerian population
Olawande Ajisafe, et al.
Lagos, Nigeria

A demographic assessment of Turkish skeletal Class III subjects's phenotypic characterization
Sevil Akkaya, Emel Ozdemir
Ankara, Turkey

Incisor root resorption associated with palatally-displaced maxillary canine: a conebeam tomography study
Asma Al Emam, Elham Abu Alhaija
Irbid, Jordan

Case: orthodontic treatment to associate condylectomy unilateral
Maxwell Albuini, Sergio Lafigliola
Sao Paulo, Brazil

Treatment of a Class III patient with corticotomy assisted RME and face mask
Rukiye Alcin, Sıddık Malkoc
Malatya, Turkey

Salivary alkaline phosphatase as a biomarker for skeletal maturity
Nora Alhazmi, et al.
Boston, MA, USA

Vertical and sagittal control in a patient with open bite tendency
Aron Aliaga-Del Castillo, et al.
Bauru, Brazil

CBCT analysis of root resorption of maxillary incisors using Connecticut intrusion arch: a prospective randomized clinical study
Marcio Almeida, et al.
Londrina, Brazil

Repeatability of cervical vertebral maturation method among orthodontic residents
João Pedro Almeida, et al.
Porto Alegre, Brazil

Evaluation of oral hygiene in orthodontic patients
Renata Almeida-Pedrin, et al.
Bauru, Brazil

Compliance with removable orthodontic appliances and adjuncts: a systematic review
Dalya Al-Moghrabi, et al.
London, United Kingdom

Extrusion of impacted maxillary canines with segmental arch mechanics: report of a case
Selin Alpagan, Ahmet Yalcin Gungor
Antalya, Turkey

Efficacy of chewing gum to reduce orthodontic fixed appliance pain: a randomized clinical trial
Athbi Alqareer, et al.
Jabriya, Kuwait

Incidence of Egyptian live births of cleft lip and/or palate in Cairo, Luxor, Aswan and New Valley governorates: a survey study
Haytham Alswairki, et al.
Jeddah, Egypt

Orthodontic and orthognathic surgical treatment of a patient with juvenile rheumatoid arthritis
Ayse Altan, Ulkem Cilasun
Kocaeli, Turkey

Treatment of a severe open bite case with extraction of four permanent first molars: a case report
Birim Altuntas, Mustafa Ersoz
Malatya, Turkey

Distalization for the entire maxillary and mandibular arch with temporal miniscrew anchorage, alternative treatment for dental protrusion
Bianca Altair Alvarado Delfin
Mexico City, Mexico

Skull base triangle in White, Black and Afrocaucasian Brazilian adolescents
Fabiola E. Alvarez Avila, et al.
Bauru, Brazil

Root resorption after orthodontic treatment: a case report
Gisele Alves, et al.
São Bernardo do Campo, Brazil

Microbiological evaluation of orthodontic wires submitted to disinfection and sterilization after clinical use
Celha Borges Alves, Marcos Lenza
Palmas, Brazil

Rapid maxillary expansion with the expander with differential opening: a case report
Arthur Alves, et al.
Bauru, Brazil

How health education can be effective to empower the orthodontics patients
Patricia Andrade, et al.
Florianopolis, Brazil

Unilateral protraction of lower molars using indirect anchorage with TADs
Oscar Antelo, et al.
Curitiba, Brazil

Correction of skeletal Class II malocclusion with the Forsus fatigue resistance device: a case report
Gema Arana, et al.
Guadalajara, Mexico

In vivo metal trace in orthodontic saliva patients by x-ray spectrometer
Marília Araújo, et al.
Londrina, Brazil

In vitro efficacy of diallyl sulfide on aggregatibacter actinomycetemcomitans biofilm on orthodontic appliances
Anil Ardesbna, et al.
Newark, NJ, USA

Influence of sex and age in the upper airway of Peruvian children
Leycester Arias-Otoya, et al.
Lima, Peru

The treatment of severe Class II malocclusion with mesiodens: a case study
Akif Arslan, et al.
Ordu, Turkey

Anterior open bite correction: SARPE and miniscrews for molar intrusion
Christian Ashby Diaz, Pedro Lara Mendieta
Miguel Hidalgo, Mexico

Sliding mechanics and extractive orthodontic planning for open bite correction
Alejandro Avalos Chavez, et al.
Lima, Peru

Class III treatment with a hybrid RME-mentoplate combination: two cases report
Mehmet Aydin, et al.
Eskisehir, Turkey

Detection of volume of root resorption in orthodontically treated patients using cone beam computed tomography
Vivek B
Mangalore, India

Bonding of an orthodontic bracket to zirconia using silica coated alumina particle
Seongwon Bae, et al.
Wonju, South Korea

Total intrusion and distalization of the maxillary arch to improve smile esthetics
Eui Seon Baek, et al.
Seodaemun-gu, South Korea

Treatment of a case of mandibular fibrous dysplasia with extraction of a premolar and canine substitution
Zuhair Bakhsh
Jeddah, Saudi Arabia

Clinical case: surgical-orthodontic treatment (surgery first)
Pedro Ballinas Roblero, Isaac Guzmán Valdivia
Mexico City, Mexico

Evaluation of oxidative stress biomarkers in patients treated with rapid maxillary expansion
Burcu Balos Tuncer, et al.
Ankara, Turkey

Assessment of airway changes after anterior maxillary distraction in cleft patients: a CBCT study
Nandish Kumar Bandadi
Mangalore, India

Evaluation of the intraexaminer and interexaminer reliabilities of different lower border lines of pharyngeal airway: a CBCT study
Shahin Baradaranhashemi, et al.
Adana, Turkey

Ortho-surgical treatment of maxillary lateral incisor agenesis
Jamilie Barbosa, et al.
Marabá, Brazil

Open bite orthodontic treatment
Denise Barrera Pérez
Mexico City, Mexico

Dimensions of impacted mandibular third molar follicles with different angulation: a CBCT study
Marlene Barroso, et al.
Lima, Peru

Orthodontic treatment of a patient with a supernumerary tooth located in the anterior maxillary region
Barış Başer, et al.
Trabzon, Turkey

Perceptions of case complexity among orthodontists, dentists, orthodontic residents, and dental students
Allison Batarse, et al.
Houston, TX, USA

Profile changes in Class III malocclusion treated with Roth and biofunctional techniques
Déric Batista, et al.
Maringa, Brazil

The effects of fan type rapid maxillary expansion appliance on point a: report of a case
Ece Bay, Ahmet Yalcin Gungor
Antalya, Turkey

Comparison of arch forms between African American and North American Caucasian populations
Jordan Benton, et al.
New Orleans, LA, USA

Surgical and orthodontic treatment of a skeletal Class III patient
Iveth Berliner, et al.
Quito, Ecuador

Early treatment of Class II malocclusion using functional appliance
Maria Monica Beti
La Plata, Argentina

Expansion of the mandibular arch with RPE treatment
Anna Betlej
Kędzierzyn-Koźle, Poland

Traction canine impacted with optimized arc assistance
Gilberto Bezerra, et al.
Sao Paulo, Brazil

Periodontal therapy in the orthodontic planning
Maria Bianchi, et al.
La Plata, Argentina

Low-level laser therapy for treatment of neurosensory disorders after orthognathic surgery: a systematic review of randomized clinical trials
Marcos Alan Bittencourt, et al.
Salvador, Brazil

The Klammt's elastic open activator to intercept a Class II, 1 malocclusion
Aristeu Bittencourt-Neto, et al.
Curitiba, Brazil

Stability of Class II malocclusion treatment with Forsus: case report
Jessica Bocato, et al.
Londrina, Brazil

USA and Canada faculty satisfaction investigation
Samantha Bogle, et al.
Newark, NJ, USA

Orthosurgical treatment of bilateral idiopathic condylar resorption: a case report
Barbara Bomfim, et al.
Rio de Janeiro, Brazil

Condylar remodeling by neurophysiological treatment in juvenile idiopathic arthritic cases
Andrea Bono
La Plata, Argentina

Comparison of 3D surface imaging versus conventional photography in the esthetic perception of profiles
Catharine Borders, et al.
Houston, TX, USA

Challenges of orthodontic re-treatment
Jose Bosio, et al.
Newark, NJ, USA

Creation of a 3D average for 13 year old males and females using CBCT data
Lea Bou Serhal, et al.
Cleveland Heights, OH, USA

Orthodontic surgical treatment of anterior open bite and Class III malocclusion
Mohamad Bou Wadi, et al.
Curitiba, Brazil

Effects of cocoa-enriched diet on orofacial pain in a murine model
Laura Bowden, John Neubert
Gainesville, FL, USA

Treatment of a patient with mesiodens using fan type expansion appliance
Veda Boynueğri, Mehmet Birol Özel
Trabzon, Turkey

Orthopedic and orthodontic treatment of skeletal Class II malocclusion: case report
Tuğçe Boz, Ahmet Yalcin Gungor
Antalya, Turkey

Maxillary molar intrusion with mini implant: five years follow up
Fausto Bramante, et al.
Bauru, Brazil

Development of 3D cell culture model to explore osteoblast response to mechanical stress
Damien Brézulier, et al.
Rennes, France

Effects of Class II malocclusion correction with Mara appliance and activator-headgear
Deborah Brindeiro de Brito, et al.
Bauru, Brazil

Effects of face mask combined with alternate rapid maxillary expansions and constrictions (Alt-RAMEC) protocol on skeletal Class III malocclusion: case report
Muhammed Hilmi Buyukcavus, Mevlut Celikoglu
Antalya, Turkey

Orthodontic treatment of Class II division 2 malocclusion in adult patients: a case report
Tatiana Caamones, Isaac Guzmán Valdivia
Mexico City, Mexico

Perception of smile midline deviations by laypersons and orthodontists
Sandra Cabello-Pérez, et al.
Lima, Peru

Assessment of facial soft tissue changes following orthognathic surgery using three-dimensional images of patient with Class III malocclusion
Ezgi Cakir, et al.
Malatya, Turkey

Gingival recession associated with a 3x3 hygienic retainer: a case report
Louise Calil, et al.
Bauru, Brazil

Randomized clinical trial comparing anterior retraction and control of anchorage in masse retraction and in two step retraction during space closure in Class I biprotrusion patients
Lucas Campos, et al.
Araraquara, Brazil

Comparison of the opening of the palatal suture with MSE (Maxillary Skeletal Expander) and Hyrax appliance using CBCT imaging
Daniele Cantarella, et al.
Los Angeles, CA, USA

Orthopedic and orthodontic treatment of a skeletal Class III pre-adolescent patient
Maria Caro, Roberto Ruiz
Mexico City, Mexico

Successful management of skeletal Class III dolichofacial pattern: a 10-year follow-up
Karla Carpio Horta, et al.
Ribeirão Preto, Brazil

Assessment of masticatory efficiency in cases of anterior openbite using colourimetric capsules
Tatyane Castro, et al.
Goiânia, Brazil

Forced eruption of impacted dilacerated upper central incisor using fixed orthodontic treatment: case report
Mevlut Celikoglu, Muhammed Hilmi Buyukcavus
Antalya, Turkey

Effects of pulsed electromagnetic field for pain caused by placement of initial orthodontic wire
Jong moon Chae, et al.
Daejeon, South Korea

Treatment of Class II subdivision malocclusion with asymmetric extractions
Adenilson Chagas, et al.
Maringa, Brazil

Complicated orthodontic and surgical management in treating a female adult patient with ankylosed temporomandibular joints, mandibular hypoplasia and obstructive sleep apnea

Yu-Jen Chang, et al.

Kaohsiung, Taiwan

Comparison of shear-bond strength of brackets with diverse base technologies

Gaurang Chaudhary, et al.

San Antonio, TX, USA

3-year follow-up of a UCLP patient treated with maxillary protraction and alveolar bone grafting: an approach using the power of growth potential

Zhengxi Chen, et al.

Shanghai, China

The effects of orthodontic extraction on smiling esthetics in different malocclusions

Hsin-Chung Cheng

Taipei, Taiwan

Cephalometric analysis without ionizing radiation on human skull using MRI: a pilot in vitro study

Taras Chepura, et al.

Erlangen, Germany

Early treatment of Class II malocclusion with fixed twin block

Alessandra Chieco, et al.

Cagliari, Italy

A study on the change of perception to smile esthetics in orthodontic patients

Jin Hyoung Cho, et al.

Sanbon, South Korea

Digitally comparing traditional two point measurements with curvilinear measurements in relation to the Bolton analysis

Chance Choate, et al.

Houston, TX, USA

Prevalence and risk factors of tooth discolouration after orthognathic surgery: a retrospective study of 1455 patients

Won-Cheul Choi

Seoul, South Korea

Effect of growth hormone treatment on craniofacial growth in children: idiopathic short stature versus growth hormone deficiency

Sung-Hwan Choi, et al.

Seoul, South Korea

Factors influencing the absence of the interproximal dental papilla

Wonjun Choi, et al.

Seoul, South Korea

Cephalometric configuration of the occlusal plane in patients with anterior open bite

Yoon Jeong Choi, et al.

Seodaemun-gu, South Korea

Accuracy of customized bracket position based on 3D printed transfer jigs

Hye-Young Choi, et al.

Seoul, South Korea

Mini implant adjuncts in preprosthodontic orthodontic treatment
Rohit Chopra
New Delhi, India

Mandibular posterior asymmetry index in panoramic radiography
Dong-Hwa Chung
Chunan, South Korea

Soft tissue thickness changes after Herbst treatment
Gökhan Çoban, Abdullah Ekizer
Kayseri, Turkey

Relation of the morphology of the mandibular condyle through panoramic radiography and cone beam computer tomography images
Luis Cueva, et al.
Lima, Peru

Orthodontic correction of a Class III malocclusion in a 12 years old patient with face mask
Ana Cristina Cueva Segarra, et al.
Guadalajara, Mexico

Microbial evaluation of esthetic orthodontic ligature by checkerboard DNA-DNA hybridization: in vivo study
Arthur Cunha, et al.
Ribeirão Preto, Brazil

Induction of ankylosis in the incisor for orthodontic tooth movement in rats
Osmar Cuoghi, et al.
Araçatuba, Brazil

Skeletal and dentoalveolar bilateral dimensions of patients with unilateral impacted maxillary canines
Mariel Franchesca D'Oleo Aracena, et al.
Santo Domingo, Dominican Republic

Orthodontic treatment in a disabled patient
Ilhan Metin Dagsuyu
Eskisehir, Turkey

Comparison of surgical and non-surgical orthodontic treatment approaches on occlusal and cephalometric outcomes in patients with severe Class II division I malocclusions
Sheila Daniels, et al.
Iowa City, IA, USA

Evaluation of the buccal bone in anterior teeth using different CBCT devices
Luciana Dantas, et al.
Salvador, Brazil

Evaluation of hyaline areas caused by induced tooth movement
Marcos De Mendonça, et al.
Araçatuba, Brazil

Headgear Herbst treatment of a severe high-angle Class II malocclusion
Frederico Deliberador, et al.
Curitiba, Brazil

Monitoring the effects on soft tissues during RME therapy with 3D photogrammetric high resolution face scanners

Eliana Di Gioia, et al.

Bari, Italy

Oral deleterious habits in anterior open bite patients

Flaviana Dias, et al.

Londrina-Pr, Brazil

Comparison of speech and orthodontic results in 5 year old patients with unilateral CLP: results of a prospective clinical trial in two different cleft palate centers

Ann Dieckmann, et al.

Rostock, Germany

Effect of the surface coating of orthodontic mini-implants on inflammation, osseointegration and rate of loss investigated in beagle dogs

Kathrin Duske, et al.

Rostock, Germany

Mesialization of mandibular molars with mini-implants

Carlos Roberto Dutra, et al.

Maringa, Brazil

Maternal supplementary folate intake, methylenetetrahydrofolate reductase (MTHFR) C677T and A1298C polymorphisms and the risk of orofacial cleft

Asgar Ebadifar, et al.

Tehran, Iran

Management of congenitally missing lateral incisors with orthodontics and reshaping of canines: a case report

Burcu Ektiren, Siddik Malkoc

Malatya, Turkey

Cone beam computed tomography assessment of the relation between sex and morphology in patients with impacted maxillary canine

Gihan El Desouky, Waleed Refaat

Cairo, Egypt

Assessment of histopathological effect of local statin injection on the tissue surrounding mini-implants in rats

Waleed El Sayed, Mohamed Nadim

Cairo, Egypt

Treatment of Class III cases with clear aligners

Tarek El-Bialy, Thamer Alkhadra

Edmonton, AB, Canada

Soft tissue analysis of fetal alcohol syndrome (FAS) and williams syndrome patients and their deviation from norm

Wael Elias

Jeddah, Saudi Arabia

Assessment of mechanical properties of orthodontics miniscrews during insertion and removal

Abbad Elkadi, et al.

Ismailia, Egypt

Utilizing maxillary skeletal expander (MSE) for skeletal expansion, Class III correction, and relieving severe crowding as an alternative to surgical or extraction approaches in non-growing patients
Islam Elkenawy, et al.
Los Angeles, CA, USA

Anatomical assessment of the mandibular buccal shelf for miniscrew insertion
Tarek Elshebiny, Sebastian Baumgaertel
Cleveland, OH, USA

Treatment of a patient with crossbite by a single removable appliance: report of a case
Göksu Emek, Ahmet Yalcin Gungor
Antalya, Turkey

Exosomal proteins as potential diagnostic markers in root resorption
Alyssa Emory-Carter, et al.
Gainesville, FL, USA

Assessing shear bond strength of orthodontic brackets using different etching protocols on hybrid crown materials
Matthew Epperson, et al.
New Orleans, LA, USA

Correction of a skeletal Class II malocclusion with bi-maxillary protrusion
Cesar Escalante, et al.
Zapopan, Mexico

Pendex-based orthodontic treatment of patients with submucosal cleft palate (SCP)
Liliana Esparza, Rolando González
Mexico City, Mexico

Orthopedic correction in Class III combined case
Patricia Estrada, Roberto Ruíz
Mexico City, Mexico

Management of gingival enlargement in orthodontic patients with adjunct use of diode laser during dental prophylaxis
Rosa Estrada, et al.
New York, NY, USA

Comparison of changes in arch dimensions with conventional appliances and Damon system
Izabel Falcão, et al.
Maringa, Brazil

Roth prescription and variations between manufacturers
Solange Fantini, Kamila Cristino
São Paulo, Brazil

The association between palatal rugae pattern and dental malocclusion
Farheen Fatima, et al.
Karachi, Pakistan

Does open-fixed lip-bumper produce stable outcomes in the longterm
Caroline Fávero, et al.
Bauru, Brazil

Maxillary protraction in patients with unilateral cleft lip and palate: evaluation of long-term results
Mariana Feitosa, et al.
Bauru, Brazil

When is a conservative treatment the best approach
Renata Feres, et al.
Curitiba, Brazil

Analysis of bone mandibular symphysis in different facial growth pattern
Thais Fernandes, et al.
Londrina, Brazil

Three-dimensional comparison of dental effects of two mechanics for space closure: a preliminary study
Luciana Fernandes, et al.
Rio de Janeiro, Brazil

Anterior open bite treatment with skeletal anchorage
Ana Lucia Fernandes da Silva, et al.
Maringa, Brazil

Orthodontic treatment of bilaterally impacted maxillary central incisor with an inverted position
Maria Jose Fernández Perez, Pablo Galindo-Moreno
Granada, Spain

Prosthetic temporary rehabilitation in patient with anterior teeth agenesis
Natalia Ferreira, et al.
Belo Horizonte, Brazil

A treatment for effectiveness OSA / OSAHS with intraoral appliances
Ilton Ferreira David Morales, Sergio lafigliola
São Paulo, Brazil

Class II molar relationship treatment with ectopic upper canines
Daniela Fisher, et al.
Zapopan, Mexico

Relationships between mandibular anterior alveolar bone thickness at different sites as assessed with cone-beam computed tomography
Pimchanok Foosiri, Korapin Mahatumarat
Bangkok, Thailand

Facial asymmetry from the deciduous through the permanent dentition
Isabelle Fornazari, et al.
Curitiba, Brazil

Treatment efficiency of Class I four-premolar and Class II malocclusion two maxillary premolar extraction protocols
Rodolfo Francisco, et al.
Bauru, Brazil

Severe open bite adult patient treated with mini-implants and multi-loop edgewise arch wire
Benedito Freitas, et al.
Sao Luís, Brazil

Full rehabilitation of a patient with cleidocranial dysplasia: a clinical report
Carolina Frota, et al.
Bauru, Brazil

Correlation of primary tooth wear and TMJ dysfunction variables
Danielle Fry, et al.
Detroit, MI, USA

Smile attractiveness of different gingival zeniths evaluated by laypeople, dentists and orthodontists
Bruna Furquim, et al.
Bauru, Brazil

Craniofacial morphology and overnight sleep polysomnographic (PSG) parameters in children with obstructive sleep apnea (OSA)
Angela Galeotti, et al.
Rome, Italy

Class II skeletal treatment: clinical case report
Rodrigo Garcia, et al.
Zapopan, Mexico

Le Fort I advancement for mandibular prognathism treatment, rather than a mandibular set back surgery: the Ortiz-Monasterio thoughts
Salvador García-López, et al.
Mexico City, Mexico

Accuracy of CBCT on mandibular condyle measurements, a human cadaver study
Verónica García-Sanz, et al.
Valencia, Spain

Does the occlusal scheme change with the anterior dental guidance
Julio Carlos Garnica Palazuelos, et al.
Culiacan, Mexico

Micro-osteoperforations to accelerate space closure in patients with bicuspid extraction and orthodontic treatment: case series
César Garrigós, Isaac Guzmán
São Luiz, Mexico

Comparative in vitro analysis of enamel damage after debonding ceramic vs. metallic brackets
Daniel Garrison, et al.
Jacksonville, FL, USA

The effect of quarterly sodium fluoride application on the DMFS score of patients undergoing orthodontic treatment: a clinical trial
Erin Gearity
Port Washington, NY, USA

Traditional and efficient facemask therapy in an early mixed Class III malocclusion
Lais Giacobbo, et al.
Curitiba, Brazil

Application of the Pitts' protocol in an anterior open bite case
Maria Celina Gil, et al.
La Plata, Argentina

Treatment of oligodontia by using fixed orthodontic appliances and prosthetic rehabilitation: a case report and 5 months follow up
Yesim Yasemin Gollerli, et al.
Ordu, Turkey

Effect of occlusal changes on sagittal condylar position using CBCT
Daniel Gross, et al.
Oak Park, MI, USA

Skeletal anchorage in a rat model of orthodontic tooth movement (OTM)
Sudha Gudhimella, et al.
Lexington, KY, USA

Correlation between alveolar bone thickness and orthodontic movement of the maxillary incisors
Esteban Danilo Guerra, et al.
São Paulo, Brazil

Orthodontic-orthognathic surgical treatment of a Class II skeletal malocclusion with anterior open bite: a case report
Andrea Guerra, et al.
Mexico City, Mexico

Correction of laterognathia and prognathism due to condylar hyperplasia
Catalina Guerrero, et al.
Mexico City, Mexico

Treatment of the patient with anterior cross bite and ichthyosis vulgaris disease by using fixed orthodontic technique without extraction: case report
Burak Gülnar
Trabzon, Turkey

Extrusion of maxillary incisors by using mini-screws: a case report
Duygu Gunes, Ali İhya Karaman
Kocaeli, Turkey

Treatment of a Class II division 1 malocclusion with combination of monoblock and fixed orthodontic appliance: a case report
Ahmet Yalcin Gungor, Gizem Bayrak
Antalya, Turkey

Treatment of a patient with unilateral Class II malocclusion, with unilateral fixed functional appliance: report of a case
Ozge Gungor, Ahmet Yalcin Gungor
Antalya, Turkey

The effect of maxillary expansion on the maxillary and mandibular dimensions and the upper airway
Jing Guo, et al.
Jinan, China

Effects of combined use of total-etch and self-etch primer on bracket bonding
Eren Gürses, Ahmet Yagci
Kayseri, Turkey

Premaxillary osteotomy: dental and skeletal changes
Claudia Hahn, et al.
Barcelona, Spain

Management of Class III malocclusion in growing patient
Himawan Halim
Jakarta, Indonesia

Effect of a compensating curve on controlled movement of the anterior teeth in sliding mechanics: simulation for long-term tooth movement using finite element method
Ryo Hamanaka, et al.
Nagasaki-shi, Japan

The esthetic perception, acceptability, and economic value of orthodontic appliances by laypeople
Khaled Hamdallah, et al.
Jacksonville, FL, USA

Total distalization for the treatment of anterior open bite in hyperdivergent patient
Seung-Hee Han, et al.
Seoul, South Korea

Removing orthodontic appliances before MRI, is it necessary
Majd Hasanin, et al.
Buffalo, NY, USA

Changes of condylar position after three months of treatment with posterior bite turbos
Santiago Herrera-Guardiola, German Puerta
Cali, Colombia

Orthodontic camouflage in the Class III malocclusion with posterior and anterior crossbite
Rodrigo Higa, et al.
Bauru, Brazil

Full mouth rehabilitation with interdisciplinary management: a case report
Chih-Liang (Julian) Ho, Ming-Shu Lee
Banqiao, New Taipei City, Taiwan

The C plate: new anchorage options for the mandible
Alexander Hohensee
Bingen, Germany

Evaluating the efficiency of new bracket base designs comparing different test methods
Marcus Holzmeier, et al.
Wuerzburg, Germany

The association between cranial base flexure and oropharyngeal airway dimensions in patients with retrognathic mandible
Myat Htut, et al.
Henderson, NV, USA

Histomorphometric evaluation on atrophic alveolar ridge altered by root thrusting and alveolar decortication in beagles
Dong-Hyun Hwang, et al.
Seoul, South Korea

Predictors of sleep disordered breathing in children: the panic study
Tiina Ikavalko, et al.
Kuopio, Finland

Treatment planning of impacted canine case with digital modeling and virtual setup
Joon Im, et al.
Wonju, South Korea

The failure of fixed orthodontic retainers: frequency, pattern and associated factors
Sarah Irfan, et al.
Karachi, Pakistan

An orthodontic approach for damaged central incisors caused by impacted canines
Hitomi Ishii, et al.
Himeji, Japan

Changes in cranio maxillary and circum maxillary suture system in relation to rapid palatal expansion and effect on mandibular arch: a 3D study
Pradeep Jain, et al.
Jaipur, India

Stability of skeletal Class III malocclusion after orthognathic surgery with minimal orthodontics: mandibular setback vs two-jaw surgery
Moon Jung Jang, Nam-Ki Lee
Seongnam, South Korea

Influence of maxillary and mandibular posterior discrepancy in anterior open bite severity
Guilherme Janson, et al.
Bauru, Brazil

Effects of Forsus fatigue resistant device (FRD) with mini-screws and stability of the treatment after 4 years
Eliza Jaria, Won Moon
Los Angeles, CA, USA

Indirect bonding with 3-D printed transfer trays
Yasas Jayaratne, Madhur Upadhyay
Farmington, CT, USA

Accuracy of intraoral-scanned crown and CBCT root composite tooth model: in vivo study
Jun-Bo Jeon, et al.
Gwangju, South Korea

Shear bond strength test in modified orthodontic tubes
Cláudio Jodas, et al.
Campinas, Brazil

Lips change after incisors retraction in Class II division 1
Jutharat Jongphairotkhosit, Supanee Suntornlohanakul
Songkla, Thailand

Orthodontic-surgical treatment in a patients with unilateral cleft and palate and laterognathism
Demi Jorge, et al.
Bauru, Brazil

Effects of transmucosal administration of thyroxine on the tooth movement and osteoclastic activity
Woo-Young Jung, et al.
Seoul, South Korea

Intrusion of incisors: a case report
Fatih Kahraman, et al.
Eskisehir, Turkey

Assessment of skeletal maturity using the permanent mandibular canine calcification stages
Adeel Kamal, et al.
Karachi, Pakistan

Strong SOC is associated with improvement in TMD: a longitudinal study in orthognathic patients
Minna Kämäräinen, et al.
Kuopio, Finland

Orthopaedic/ orthodontic treatment of a skeletal Class III malocclusion due to maxillary retrognathia and bilateral impacted maxillary canines
Carmen Karadeniz, et al.
Smithfield, Australia

Interdisciplinary treatment of a case with operated bilateral cleft lip and palate: a case report
Ozge Karakaya, Ahmet Yagci
Kayseri, Turkey

Orthodontic and surgical treatment of a cleft lip and palate patient with severe bone defect and missing anterior teeth
Nurver Karşlı, et al.
Ankara, Turkey

Factors influencing the loss rate of Herbst appliances
Franz Katlun, et al.
Giessen, Germany

Orthognathic surgical treatment approach of a patient with asymmetry mandible
Nursezen Kavasoglu, et al.
Diyarbakir, Turkey

Treatment of patient who has severe crowding and flat profile with mandibular distraction and rapid palatal expansion (RPE): a case report
Ismihan Kayhan, et al.
Malatya, Turkey

Surgery-first approach in skeletal Class III patients with unstable surgical occlusion
Youn-Ju Kee, et al.
Gwangju, South Korea

Prevalence of parameters that influence the development of temporomandibular disorders in adolescents with deep bite and Angle Class II/1 and Class II/2 malocclusions
Renata Kevilj Gospic, et al.
Zagreb, Croatia

Multidisciplinary treatment of a patient with a peg shaped lateral incisor and a congenitally missing lateral incisor teeth
Özge Kiliç, et al.
Aydin, Turkey

Analysis of dental compensation in patients with facial asymmetry using CBCT
Hojin Kim, et al.
Daegu, South Korea

Orthodontic-surgical treatment of malpositioned implants
Hyun-Soo Kim, et al.
Seoul, South Korea

Orthodontic and prosthetic rehabilitation for patient with multiple tooth-loss using temporary anchorage device
Jin-Hwan Kim, et al.
Jeonju-si, South Korea

How far is the root apex of a unilateral impacted canine from the root apices' arch-form?
Yong-Il Kim, et al.
Yangsan, South Korea

Management of transverse discrepancy in surgery-first orthodontic patients
Ji-Kwon Kim, et al.
Gwangju, South Korea

Posterior cusp height and incisor mamelon to consider when using CAD/CAM aided indirect bonding system
Minji Kim, et al.
Seoul, South Korea

Changes in the airway dimension after nonsurgical miniscrew-assisted rapid palatal expansion
Soo-Yeon Kim, et al.
Seoul, South Korea

Facial angles and expressions influence visual attention during the evaluation of facial attractiveness
Seol Hee Kim, et al.
Seodaemun-gu, South Korea

Self-face recognition and eye-gaze pattern associated with individual psychological condition in adult orthodontic patients
Jong Hee Kim, et al.
Gangnam-gu, South Korea

Morpho-functional state assessment in patients with different maxillofacial anomalies, TMJ disorders and after orthodontic treatment with teeth extractions
Tatiana Klimova, et al.
Moscow, Russian Federation

Mechanical properties of laser welded joint between nickel-titanium orthodontic wires with different sizes
Pawan Kobkitsakul, et al.
Bangkok, Thailand

The king of laboratory study do not show the best survival: a randomized clinical trial of orthodontic adhesives
Akira Komori, et al.
Chiyoda, Japan

Role of orthodontists in multidisciplinary cleft care from cradle to adulthood: case reports
Shafees Koya
Mangalore, India

In vitro evaluation of nickel, chromium and methyl methacrylate monomer release from functional appliance

Hyun Kyung, et al.
Seoul, South Korea

Modified lip bumper therapy for treatment of Class II and Class III malocclusions in mixed dentition

Amr Labib
Cairo, Egypt

Stability of comprehensive Cantilever Bite Jumper treatment: 10 years of follow-up

Melissa Lancia, et al.
Bauru, Brazil

Mandibular angle morphology in openbite subjects with different skeletal sagittal relationships

Gina Maritza Laquihuanaco, et al.
Lima, Peru

Retained canine: case report

Enrique Leal, Fabiola Hernández
Mexico City, Mexico

Maxillary molar distalization with miniplates in skeletal anchorage dependent treatment

Jeong-Sub Lee, et al.
Wonju, South Korea

Orthognathic surgery in skeletal Class III long face with facial asymmetry and transeverse discrepancy

Eon Hwa Lee, et al.
Seoul, South Korea

CBCT analysis of lower anterior alveolar bone thickness in skeletal Class III regarding vertical skeletal pattern

Joon Goo Lee, et al.
Gangnam-gu, South Korea

Geometric morphometric analysis of alveolar bone after orthodontic treatment

Kyoung-Min Lee
Gwangju, South Korea

Dental autograft in a difficult solution case

Thiago Lemos, et al.
Maceio, Brazil

Acceptability of nasolabial angle (NLA) change by orthodontic patients

Zachary Levin, et al.
Jacksonville, FL, USA

Ananalysis of the facial-dento-skeletal characteristics of unilateral scissors bite with skeletal Class II pattern and its treatment protocol

Huang Li, et al.
Nanjing, China

Effects of lipopolysaccharide on human periodontal ligament fibroblasts under mechanical compression through EphB4-ephrinB2 signalling

Minjie Li, et al.
Hong Kong, Hong Kong

Association of single nucleotide polymorphisms (SNPs) located in epidermal growth factor (EGF) gene with mandibular prognathism in the Korean population

Byung-Suh Lim, et al.

Seoul, South Korea

Surgery-first approach for the correction of roll-type mandibular asymmetry

Sung-Hoon Lim, et al.

Gwangju, South Korea

Accuracy of 3D cephalometric image constructed with 2D cephalograms using biplanar radiography

Hoi-Jeong Lim, et al.

Gwangju, South Korea

Application of composite tooth model fabricated from intraoral-scanned crown and CBCT root

Seung-Weon Lim, et al.

Gwangju, South Korea

Comparison of shear bond strength of a ebadma/tegdma-based flowable composite and an orthodontic adhesive

Donabelle Lim

Quezon City, Philippines

Skull base triangle in white, xanthoderm and Japanese-Brazilian adolescents

Ludmila Lima, et al.

Bauru, Brazil

Treatment of orthodontic patient with lateral incisor agenesis and deep bite with Invisalign system

Saulo Lima, et al.

São Luís, Brazil

Orthodontic camouflage of skeletal Class III malocclusion with Invisalign system

Luciana Lima, et al.

São Luís, Brazil

A comparative analysis of direct and indirect facial landmarks placement methods

Han Lin, et al.

Guangzhou, China

Variability of the American Board of Orthodontics Discrepancy Index (DI) and Peer Assessment Rating (PAR) Index for evaluating malocclusion severity

Siqi Liu, et al.

Beijing, China

Autotransplantation as a treatment option for traumatic loss of anterior tooth

Luis Filipe Lon, et al.

Araraquara, Brazil

Perceptions about upper removable orthodontic retainers: a crossover randomized clinical trial

Diego Lorenzoni, et al.

Bauru, Brazil

Abnormal tooth movement in transgenic miRNA-29 sponge mice

Angela Lu, et al.

Chicago, IL, USA

Association of WNT10A, WNT10B and GREM2 genes with nonsyndromic tooth agenesis
Sonia Magruder, et al.
Houston, TX, USA

Elastics are valuable adjunct in conservative orthodontic treatment of skeletal Class III malocclusion
Maen Mahfouz, Yara Mahfouz
Najran, Saudi Arabia

Dental maturation among subjects with various dental malocclusions
Hafiz Taha Mahmood, et al.
Karachi, Pakistan

Accelerated orthodontic tooth movement in adult patients by micro-osteoperforations of cortical bone
Tina Mahmoudi, et al.
Baltimore, MD, USA

Effect of different bracket positions and occlusal plane angles on smile esthetics
Nadda Manoosin, Paiboon Techalertpaisarn
Bangkok, Thailand

Retreating a vertical Class III skeletal case with an anterior open-bite non-surgically
Ameerah Mansour
Jeddah, Saudi Arabia

Short and long-term spontaneous dentoalveolar changes of mandibular dental arch after slow or rapid maxillary expansion: a systematic review
Olga Maranhão, et al.
Bauru, Brazil

MEAW philosophy for early treatment of mandibular laterodeviation
Guido Marañón-Vásquez, et al.
Ribeirão Preto, Brazil

Space closure in cortical collapsed edentulous area using micro-osteoperforation: clinical case
Francisco Marichi, César Octavio Garrigós
Mexico City, Mexico

Side effects promoted by the Herbst appliance
Juan Mariscal, et al.
Araraquara, Brazil

Maturation changes of the normal occlusion: a 40-year follow-up
Camila Massaro, et al.
Promissão, Brazil

Influence of parafunctional habits on root resorption after orthodontic treatment
Murilo Matias, et al.
Bauru, Brazil

Esthetic orthodontic ligatures: evaluation of colour change, elastic properties and structural surface
Leonardo Matos, et al.
Ribeirão Preto, Brazil

High-magnitude mechanical strain inhibits the differentiation on bone-forming rat calvarial progenitor cells
Kotoe Mayahara, et al.
Tokyo, Japan

Orthodontic treatment of a patient with incomplete bilateral cleft lip and palate associated with dental agenesis and transposition
Carolina Maza-Villanera, et al.
Lima, Peru

Shear bond strength and ari index evaluation in 64 teeth: direct or indirect bonding? and which adhesive cement?
Laura Mazzotta, et al.
Genova, Italy

Testing a novel technique for bonding orthodontic brackets to porcelain
Briggs McKey, et al.
New Orleans, LA, USA

Distalization of the maxillary and mandibular dentitions with miniscrews
Francisco Shamed Méndez Ordóñez, Roberto Ruiz Días
Mexico City, Mexico

Mild skeletal Class III camouflage with maxillary and mandibular first bicuspid extraction
Maria Mendoza, Mauricio Ballesteros Lozano
Coyoacan, Mexico

Prevalence of anterior open bite by habits in Mexican young people
Laura Mendoza, et al.
Mexico City, Mexico

Mobile apps: education for a digital generation
Luciane Menezes, et al.
Porto Alegre, Brazil

The volumetric evaluation of the effects of two different functional appliances on airway volume in mandibular retrognathia patients
Pamir Meric, Irfan Karadede
Edirne, Turkey

Barriers and facilitators to the implementation of orthodontic mini implants in clinical practice: a systematic review
Reint Meursinge Reynders, et al.
Amsterdam, Netherlands

Mandibular anterior crowding relapse in cases treated with extraction of one incisor
Edivaldo Miotto, et al.
Juranda, Brazil

Qualitative changes of normal occlusion: 40 years of follow-up
Felicia Miranda, et al.
Bauru, Brazil

A prospective randomized clinical trial: bond failure rates with and without prosthetic treatment
Kyosuke Mizutani, et al.
Chiyoda-ku, Japan

Enamel surface roughness following orthodontic bracket debonding and composite resin removal using tungsten carbide and Arkansas burs
Shadi Mohebi, Mahamadreza Badiie
Urmia, Iran

Space closure with temporary anchorage devices and corticotomies
Diego Mondragon, Fabiola Hernández
Mexico City, Mexico

Do different vertical positions of maxillary central incisors influence smile esthetics perception?
Katia Montanha de Andrade, et al.
Salvador, Brazil

Precision of direct digital impression with Trios 3 intraoral scanner
Cheolhyun Moon, et al.
Incheon, South Korea

Effects of dental operating light sources on setting time during bracket bonding
SooJi Moon, HyoungSeon Baik
Seoul, South Korea

Short- and long-term effects of Botulinum Toxin A injection into the masseter muscle of rats:
immunohistochemical and ultrastructural study
Young-Min Moon, Tae-Woo Kim
Guri, South Korea

Clinical applications of the bendable C-tube plate in the complicated anterior deep bite correction: 2 cases
report
Hyung Wook Moon, et al.
Seoul, South Korea

Treatment of a Class I skeletal malocclusion with extractions and tads: case report
Ixchel Morales, et al.
Guadalajara, Mexico

Three dimensional morphological evaluation of cervical vertebrae in Egyptian individuals with skeletal
Class II mlocclusion
Sherif Morcos, Waleed Refaat
Ismailia, Egypt

Orthodontic treatment of Class III skeletal malocclusion
Priscila Moreira, et al.
Marabá, Brazil

Aesthetic perception of facial profile changes in patients treated with Herbst and Forsus appliances
Ricardo Moresca, et al.
Curitiba, Brazil

3D evaluation of condylar position after Class II treatment with Herbst appliance
Alexandre Moro, et al.
Curitiba, Brazil

Non-surgical maxillary skeletal expansion in a 16y old patient with an impacted canine
Christoph Moschik, Won Moon
Los Angeles, CA, USA

Skeletal Class III malocclusion, surgical and orthodontic treatment
Oscar Adrian Muñoz Barrera, et al.
Mexico City, Mexico

Vertical facial type variations influence the aesthetic preference of anteroposterior lip positions
Takashi Murakami, et al.
Okayama, Japan

Effect of growth pattern on facial symmetry: 3D imaging study
Mohamed Nadim, et al.
Ismailia, Egypt

Effect of atmospheric pressure plasma irradiation of metal surfaces on the intermolecular forces between the metal and orthodontic adhesive primers
Yasuhiro Namura, Noriyoshi Shimizu
Tokyo, Japan

Craniofacial skeletal morphology of mixed dentition Filipino patients and its implication to growth modification treatment
Marian Almyra Naranjilla
Manila, Philippines

Treatment of orthodontic and esthetic without resorting to prosthetic solution - congenitally missing of maxillary central right incisor and canine lower right impacted
Ruth Nassi, et al.
Panama City, Panama

Associated dental anomalies and the importance of early diagnosis: a case report
Gabriela Natsumeda, et al.
Bauru, Brazil

Smile attractiveness in the Damon and conventional systems with and without rapid maxillary expansion
Patricia Negreiros, et al.
Bauru, Brazil

Correction of a skeletal Class II high-angle malocclusion with severe anterior open bite
Ana Liesel Niederberger, et al.
Bauru, Brazil

The evaluation of tooth inclination and arch form in Class III facial asymmetry
Yasushi Nishii, et al.
Tokyo, Japan

20 years of post functional retainer: a review
Tim Noeke, et al.
Meschede, Germany

Miniscrew correction of an inverted impacted upper central, impacted cuspid and bilateral dental Class II
Louisa Ogden Camors, Ricardo Medellín Fuentes
Mexico City, Mexico

Orthodontic treatment of a patient with mandibular lateral incisor canine transposition: a case report
Gözde Öğrenim, et al.
Aydin, Turkey

Treatment of polydiastema with Forsus FRD appliance: a case report
Mert Öğrenim, Yazgi Ay
Aydin, Turkey

Mechanical properties of graded thermodynamic nickel titanium archwires in bending and torsion
Ouliana Oguienko, et al.
Toronto, ON, Canada

Efficient camouflage treatment for Class III malocclusion : case report
Heejung Oh, et al.
Jeonju-si, South Korea

Effects of maximum retraction of anterior teeth on third-order torque of maxillary incisors and soft and hard tissue changes by conventional and self-ligating brackets
Young-Eun Oh, et al.
Seoul, South Korea

Facemask treatment with mini-plates to correct anterior crossbite in an adolescent patient
Sehoon Oh, et al.
Daejeon, South Korea

Occlusal contact scanned by trios - is it reliable?
Ji-Seon Oh, et al.
Seoul, South Korea

Adolescence Class II division 1 patient with severe obstructive sleep apnea syndrome treated with distraction osteogenesis
Rıdvan Okşayan, et al.
Eskisehir, Turkey

Treatment of three-dimensional Class II malocclusion
Marinet Oliveira, et al.
Cuiabã, Brazil

Surgery-first to accelerate orthodontic retreatment of an adult patient presenting SAOS
Dauro Oliveira, et al.
Belo Horizonte, Brazil

Self-perception of orthodontic treatment need in Mexican Mayan adolescents
Hilda Oropeza Cruz, et al.
Merida, Mexico

The association between sella turcica bridging and maxillary palatal canine impaction: a CBCT study
Pamela Ortiz Perez, et al.
Buffalo, NY, USA

Comparison of shear bond strength between two adhesive systems and two different ceramic crowns
Sheila Othman
Philadelphia, PA, USA

The effect of incorporation of quaternary ammonium compounds on shear bond strength of orthodontic brackets
Mehmet Özel, et al.
Trabzon, Turkey

Evaluation of the soft tissue thickness at lower anterior face in mouth breathing
Taner Ozturk, Abdullah Ekizer
Kayseri, Turkey

Corticotomy alveolar in orthodontics as accelerating factor of tooth movement
Alessandra Paes, et al.
Sao Paulo, Brazil

Tomographic evaluation of buccal bone in different skeletal patterns and incisors inclination
Paula Paes Ferreira, et al.
Salvador, Brazil

Treatment of skeletal Class III malocclusion using face mask therapy with alternate rapid maxillary expansion and constriction (Alt-RAMEC) protocol: a case report
Buket Pala Mutlu, Mehmet Birol Özel
Trabzon, Turkey

Dimensional changes in pharyngeal airway space during orthodontic treatment: a prospective pharyngometer study
Matthew Paradisgarten, et al.
Newark, NJ, USA

Multidisciplinary orthodontic treatment with mandibular surgery and genioplasty in a severe brachyfacial Class II patient
Vanessa Paredes, et al.
Valencia, Spain

Orthodontic-surgical treatment in an individual with cleft lip and palate: follow-up of 33 years
Julianna Parizotto, et al.
Bauru, Brazil

Ideal anterior Bolton ratio calculation for various incisor inclinations
Seo-Woo Park, et al.
Seoul, South Korea

Preliminary study to determine the reference plane of patients with a unilateral cleft lip and palate
Soo-Byung Park, et al.
Yangsan, South Korea

Modified unilateral pendulum appliance for distalising first & second molar in adult patient: a case report
Brijesh Patel
Indore, India

Evaluation of the effects of TAD-tissue supported rapid palatal expander on the transverse dimension of the maxilla through CBCT analysis
Chirag Patel
Philadelphia, PA, USA

Immediate effects of temporary bite-raising with orthodontic band cement on the EMG response
Darin Pativetpinyo, et al.
Bangkok, Thailand

Direct nose/lip measurements after nasoalveolar molding in cleft lip and palate patients
Siriya Pattarasiriporn, Montian Manosudprasit
Khon Kaen, Thailand

Maturation of wisdom teeth: influence of skeletal growth pattern and gender
Andrej Pavlic, et al.
Rijeka, Croatia

Open bite treatment with dental extraction
Fabiana Pazian, et al.
Maringa, Brazil

Surgical treatment of skeletal Class III malocclusion associated with facial asymmetry
Carlos Eduardo Peña-Gutiérrez, et al.
Lima, Peru

Functional and psychosocial impact of malocclusion in Brazilian children: population-based study
Caroline Pereira, et al.
São Luis, Brazil

Longitudinal craniofacial growth in Pierre Robin Sequence (PRS) in comparison with isolated cleft palate (ICP) and unaffected children
Fay Pereira, et al.
Mississauga, ON, Canada

Comparison of force release between aesthetic orthodontics wires
Thalita Pessoa, et al.
São Luís, Brazil

Proportions of facial beauty in hard and soft tissue profile seen through the eyes of a scientist
Lucelma Vilela Pieri, et al.
Franca, Brazil

Comparison of forces exerted by intermaxillary elastics used for different periods of time
Danielle Pimenta, et al.
Maringa, Brazil

Alternative approach to multidisciplinary treatment of maxillary midline diastema: a case report
Celia Pinzan-Vercelino, et al.
São Luís, Brazil

Treatment of Class III with maxillary protraction and biofunctional technique
Taise Plucenio, et al.
Maringa, Brazil

Effects of Class II elastics in the treatment of Class II malocclusion
Raquel Poletto, et al.
Bauru, Brazil

Effectiveness of laser therapy in reducing pain at initial stages of orthodontics
Otávio Pozza, et al.
Pato Branco, Brazil

Evaluation of nasopharynx airway of individuals with isolated Robin Sequence
Leticia Prestes, et al.
Bauru, Brazil

Bone anchored maxillary protraction in UCLP: a case report
Fernando Pugliese, et al.
Bauru, Brazil

3-dimensional occlusal changes in the leveling and alignment phase of orthodontic therapy
Laura Pulver, et al.
Houston, TX, USA

Combination therapy of orthopedic and orthodontics in Class III patient
Juliana Quintero Prada, Mauricio Balleteros Lozano
Mexico City, Mexico

Correlation of maxillary incisor retraction with nasolabial angle and cant of upper lip: can we derive a prediction equation?
Jayesh Rahalkar, Tanuja Nirmal
Pune, India

The comparison of linear measurement made by digital and conventional method
Tatchatam Raksin, Supanee Suntornlohanakul
Hatyai, Thailand

Stability of Class II malocclusion treatment with the distal jet followed by fixed appliances
Sorileé Ramón, et al.
Bauru, Brazil

Upper lip/nose changes after bone grafting in cleft patients using 3D stereophotogrammetry
Atcharyaporn Ranchan, Montain Manosudprasit
Muang, Thailand

Effect of resin infiltration on white spot lesions after orthodontic treatment
Adel Rashid, Ahmed Hamdy
Banha, Egypt

Cervical vertebra morphology in egyptian skeletal Class III malocclusion: a three dimensional computed tomography evaluation
Waleed Refaat, Sherif Morcos
Ismailia, Egypt

Crown inclination in digital models comparison of cases treated with self ligating or conventional fixed appliances with and without rapid maxillary expansion
Ricardo Rengifo Vásquez, et al.
Bauru, Brazil

Effect of the angulation of impacted mandibular third molars on adjacent molars in open-bite subjects
Fabián Reta-Martínez, et al.
Lima, Peru

Applying Black American cephalometric norms to American Board of Orthodontics' Discrepancy Index (ABODI)
Maryam Rezaie, et al.
Jacksonville, FL, USA

Occlusal and speech development in Australian twins
Daniela Ribeiro, et al.
Adelaide, Australia

Cephalometric changes comparison in white and black subjects treated with extractions
Mayara Rizzo, et al.
Bauru, Brazil

Use of an anterior repositioning orthotic in temporomandibular joint disorder
Glen Roberson, Arianna Papisikos
Henderson, NV, USA

The wonderful world of early treatment
Enza Robotti
Ventimiglia, Italy

Protocols for early Class III correction using expansion and facemask: literature review
Jessica Rodrigues, et al.
Cuiaba, Brazil

Genotoxic effects in oral mucosal cells caused by the use of corrective appliance in patients after short and long periods of treatment
Fabio Romano, et al.
Chapel Hill, NC, USA

Clinical efficacy of low level laser therapy for accelerated orthodontic space closure
Gregory Rosenberg, et al.
New York, NY, USA

Buccolingual inclination of the mandibular second molars with different anteroposterior skeletal patterns in cone-beam computed tomography
Benchapol Rukwong, et al.
Bangkok, Thailand

Three dimensional evaluation of pharyngeal airway morphology in individuals with unilateral and bilateral cleft lip and palate
Merve Rumanli, Seher Gunduz-Arslan
Diyarbakir, Turkey

An alternative treatment to solve moderate crowding in a non extraction patient
Cesar Mardonio Ruvalcaba Ochoa, et al.
Guadalajara, Mexico

Effects of face mask and skeletal anchorage therapy for the treatment of skeletal Class III malocclusion
Sanaz Sadry
Istanbul, Turkey

Treatment of a Class III skeletal malocclusion with a combination of orthodontics and surgery
Jeanetta Safraniak, et al.
Guadalajara, Mexico

High prevalence of hypersensitivity to nickel: should orthodontists worry?
Valentina Saint-Georges, et al.
Rijeka, Croatia

Correction of Class II malocclusion with atypical extractions
Karine Sakoda, et al.
Bauru, Brazil

The ability of panoramic radiography to estimate mandibular position in the sagittal aspect
Behzad Salari, Mohsen Shirazi
Qazvin, Iran

Multidisciplinary treatment of a skeletal Class III malocclusion with facial asymmetry: retreat
Mirna Karen Sales Gonzalez, Antonio Fernández López
Mexico City, Mexico

Correction of a skeletal Class III malocclusions with surgical-orthodontic treatment in an adult patient: case report

Ana Sanchez, et al.
Zaragoza, Mexico

Corticotomy assisted quad-helix treatment: a case report

Cagla Sar, et al.
Istanbul, Turkey

Compensatory orthodontic treatment of Class II Division 1 treatment associated to tooth size discrepancy with Herbst appliance

João Paulo Schwartz, et al.
Curitiba, Brazil

Maxillary transverse dimension in skeletal Class I subjects by race, gender, and dental age: a pilot study

Jordan Seetner, et al.
Boston, MA, USA

The prevalence of malocclusion characteristics in healthy and obese patients

Purvy Shah, et al.
New York, NY, USA

Archwise distraction appliance (AWDA) in a cleft lip and palate (CLP) patient treatment: a preliminary evaluation

Nor Shahab, et al.
Istanbul, Turkey

Heart rate variability and orthodontic forces: a researchkit study

Karan Sharma
Mandaluyong City, Philippines

Cervical vertebral maturation stage and pharyngeal airway spaces

Dipti Shastri
Lucknow, India

Conundrum of adult orthodontics: choices and challenges

Shrikanth Shendre
Bangalore, India

Efficiency of Damon Q self-ligating brackets

Sandeep Shetty, Shakir Ahmed
Mangalore, India

Correction of hemifacial microsomia with application of vertically asymmetric headgear: a case report

Mohsen Shirazi, Behzad Salari
Tehran, Iran

Camouflage treatment of a patient with crossbite and asymmetrical face: a case report

Lina Sholi, et al.
Istanbul, Turkey

Attractiveness of different gingival zeniths evaluated by orthodontists, dentists and layperson

Paula Silva, et al.
Maringa, Brazil

Stereophotogrammetric evaluation of soft tissue changes of a Class III surgery patient: a 6 month follow-up

Sümeyya Şin, Kadir Beycan
Istanbul, Turkey

Extraction and non-extraction: does they differ in stability

Satinder Singh, Nameksh Bhupali
Chandigarh, India

Management of multiple impacted teeth in an adult female: a case report

Alka Singh
Lucknow, India

Shear bond strength of RU-HBM1, a resin-modified glass ionomer cement prototype for direct bonding of orthodontic brackets

Samornphun Sinthawornkul, Pintu-on Chantarawatit
Bangkok, Thailand

The effect of two different vibratory frequencies on orthodontic tooth movement rate

Natchanon Siriphan, Udom Thongudomporn
Hatyai, Thailand

Apical root resorption during treatment with removable orthodontic appliance in mixed dentition: a study on observer performance

Mikael Sonesson, et al.
Malmö, Sweden

A proposal of 3-dimensional assessment of face with CBCT images: a pilot study of facial analysis with new frame

Ju-Eon Song, et al.
Gangnam-gu, South Korea

Impacted canine traction length assessment using measurements and 3D angle

Peteris Sosars
Riga, Latvia

Re-anatomization of root resorption of maxillary lateral incisor during orthodontic treatment: case report

Bernardo Souki, et al.
Belo Horizonte, Brazil

Asymmetric Class III treatment

Adriana Souza, et al.
Maringa, Brazil

Expectations and impact of orthognathic surgery

Carla Dâmares Beserra de Souza Souza, Luiz Alessio Jr
Cuiabá, Brazil

Comparison of dentoalveolar, skeletal and soft tissue changes of the treatment of Class II malocclusion with three different intraoral distalization systems: Jones Jig, Distal jet and First Class

Lorena Souza, et al.
Bauru, Brazil

Three-dimensional maxillary skeletal changes following rapid maxillary expansion of cleft lip and palate patients

Adriana Souza, et al.
Belo Horizonte, Brazil

Smile esthetic perception of black triangles between maxillary central incisors by laypeople of different ages

Chompunuch Sriphadungporn, Niramol Chamnannidiadha
Bangkok, Thailand

Treatment effects of presurgical infant orthopaedics (PSIO) in complete unilateral cleft (UCLAP)

Marlon Strosinski, et al.
Rostock, Germany

Late mixed dentition: clinical case report

Renata Suárez Méndez, et al.
Zapopan, Mexico

Dimensional changes in the pharyngeal airway space after rapid palatal expansion: a prospective pharyngometer study

James Suh, et al.
Newark, NJ, USA

Ethical dilemmas concerning orthodontic treatment of hearing impaired patients

Raluca Suhani, et al.
Cluj Napoca, Romania

Silver nanoparticles in orthodontics: a review

Mihai Suhani, et al.
Cluj Napoca, Romania

Correction of mandibular deviation by functional appliance: a case report

Hiromi Sumi, et al.
Hiroshima, Japan

A novel mandibular advancement device with simultaneous tooth alignment; preliminary findings from a multi-center study

Sandra Tai
Richmond, BC, Canada

Contribution of the GHR gene variant to the mandibular morphology using CBCT in Japanese population

Nakawaki Takatoshi, et al.
Tokyo, Japan

Hypoglossia and Hypodactylia Syndrome: a case report

Ipek Tamer, et al.
Istanbul, Turkey

Cant of the lower incisor segment when intruding the mandibular arch

Orlando Tanaka, et al.
Curitiba, Brazil

Quantifying precision and accuracy of intra-oral dental scans

Haim Tawil, et al.
Newark, NJ, USA

Non-surgical correction of skeletal Class III malocclusion with dentition distalization
Ya-Ying Teng
Taipei, Taiwan

Moderate anterior crowding corrected with posterior dentoalveolar expansion in an adult patient
Eloy Adán Ticona-Chacón, et al.
Lima, Peru

Ankylosed tooth orthodontic treatment with aid of distraction osteogenesis and simplified biomechanics: case report
Daniel Tocolini, Alexandre Moro
Curitiba, Brazil

The Hybridontic System the development of a new orthodontic treatment procedure
Hajime Tokiwa, et al.
Shinjyuku, Japan

Contribution of IRF6 variants to nasolabial morphology in Japanese and Korean populations
Daisuke Tomita, et al.
Tokyo, Japan

Evaluation of root resorption volume following maxillary expansion using microcomputed tomography
Refika Topal Kaya, Seher Gündüz Arslan
Diyarbakir, Turkey

Treatment of crowding using self- ligating (Damon 3MX) brackets: a case report
Arife Topaloglu, et al.
Malatya, Turkey

Orthodontic and prosthetic treatment of maxillary lateral incisors agenesis with single-tooth implant
Nuri Mert Topbasi, et al.
Ordu, Turkey

Openbite treatment with double vertical holding transpalatal arch: a case report
Emine Toptan, Sıddık Malkoc
Malatya, Turkey

Misinterpretation of x-ray confirmed with CT scan
Aline Torneri, et al.
Sao Paulo, Brazil

Class II skeletal camouflage treatment: clinical case report
Lisseth Torres, et al.
Guadalajara, Mexico

The accuracy of soft tissue prediction using 3D simulator in orthognathic surgery
Kiratiya Traisrisin, et al.
Khon Kaen, Thailand

Orthodontic treatment of a maxillary canine-premolar transposition in the permanent dentition
Luis Trujillo-Pinazo, et al.
Lima, Peru

Evaluation of corticotomy assisted maxillary molar intrusion with zygomatic anchorage by finite element stress analysis

Cumhur Tuncer, Cemile Uysal

Ankara, Turkey

Effects of mechanical vibration combined with compressive stress on the expression of IL-1 β and TNF- α in human PDL cells

Buntarika Unat, Chidchanok Leethanakul

Hat Yai, Thailand

Class III treatment with skeletal anchorage in an adult patient

Weber Ursi, Murilo Matias

Sao Jose Dos Campos, Brazil

Zygomatic anchorage for en masse retraction in the treatment of severe Class II Division : a case report

Damla Uzun, Hande Başoğlu

Trabzon, Turkey

Periodontal and orthodontic management of impacted maxillary canine palatal: a case report

Minerva Valdez

Mexico City, Mexico

Efficacy of aligner attachments : an in-vitro evaluation of colour and dimensional stability of ellipsoid attachments

Meghna Vandekar, et al.

Mumbai, India

Evaluation of effects generated by connecticut intrusion arch in the upper dental arch

Juliana Vasconcelos, et al.

Londrina, Brazil

Evaluation of the changes after nasoalveolar molding and lip surgery by means of stereophotogrammetry and digital models: case report

Efthymios Vasileiadis, et al.

Istanbul, Turkey

Maxillary tooth transposition: case report

Cristina Vázquez, Rolando González

Mexico City, Mexico

Removing second molars to achieve a Class I molar relationship

Janette Vázquez Gómez, et al.

Zapopan, Mexico

Orthodontic-surgical treatment of a Class II malocclusion with laterognathia: case report

Claudia Velasco, Antonio Fernández López

Mexico City, Mexico

Treatment of Class II subdivision malocclusion with the Twin Force Bite Corrector

Domingos Vieira, et al.

Maringa, Brazil

Posterior vertical control using mini-implant

Carlos Vieira, et al.

Maringa, Brazil

Comparison of changes in dental arch dimensions in cases treated with conventional appliances and self-ligating Damon system
Bruno Vieira, et al.
Belo Horizonte/MG, Brazil

AcceleDent® and Invisalign Smartrack™ aligners: a multicenter, retrospective, cohort study
Timothy Wheeler, et al.
Gainesville, FL, USA

Dentoalveolar changes after using nasoalveolar molding device in complete unilateral cleft lip and palate patients
Raweewan Wongpetch, Montian Manosudprasit
KhonKaen, Thailand

Dentoalveolar and skeletal compensations in untreated unilateral cleft-lip and palate
McKenzie Woods, et al.
Lexington, KY, USA

Predicting dilacerations of impacted maxillary incisors using 3D models
Yue Xu, et al.
Guangzhou, China

Adult patients' pre-treatment acceptance of increased costs to reduce orthodontic treatment time
Alexander Yadegari, et al.
Jacksonville, FL, USA

Treatment of Class II malocclusion with Frog appliance
Aycan Yalçın
Izmir, Turkey

Anterior open bite corrected by posterior teeth intrusion and mandible auto-rotate with mini-screws
Jui-Hsien Yang
Taipei, Taiwan

Treatment of maxillary molar eruption failure through therapeutic diagnosis
Toshihiko Yasumura, Kenji Sueishi
Chiyodaku, Japan

Three-dimensional evaluation of Class II treatment in an adolescent patient population using cone-beam computed tomography
Jennifer Yau, et al.
Saratoga, CA, USA

Agensis and morphologic variation of the maxillary lateral incisors in dental patients
Tolulase Yemitan, et al.
Lagos, Nigeria

A destructive and mysterious lesion in a 15-year-old orthodontic patient
Yvonne Yeung, et al.
Cardiff, United Kingdom

Orthodontic treatment of Class II malocclusion in adolescent patient with mandibular incisor- extraction and Forsus appliance: a case report
Nilüfer Yılmaz
Istanbul, Turkey

Comparison of shear-bond strength of orthodontic bracket according to zirconia primer
Song-Yeon Yoon, et al.
Seoul, South Korea

Molar distalization and transplantation for correction of impacted maxillary canines in skeletal Class III growing patient
Hyung Ju Yoon, et al.
Seoul, South Korea

Application of a surgical guide for orthodontic anchor screw plantation
Yuki Yoshimi, et al.
Hiroshima, Japan

Cervical vertebral maturation and dental age in patients with attention deficit hyperactivity disorder
Farnaz Younessian, Azita Tehranchi
Los Angeles, CA, USA

Accuracy of linear measurements from extraoral photography images by three types of lenses
Loidy Ypanaque-Ramirez, et al.
Lima, Peru

Correlation between hard palate morphology and obstructive sleep apnea in Korean adults
Chen Yu, et al.
Seoul, South Korea

Mandibular terminal hinge relationship to condylar anatomy: a CBCT analysis
John Yurkovich, et al.
Detroit, MI, USA

Orthodontic treatment results evaluated for individual tooth according to the objective grading system
Oscar Zapata-Noreña, et al.
Medellin, Colombia

Soft-tissue profile comparisons between African-Americans and Caucasians in Kentucky
Evan Zeh, et al.
Lexington, KY, USA

Treatment of skeletal anterior open bite non-surgically with TADs
Boshi Zhang, et al.
Los Angeles, CA, USA

A comparison of different bony structures for three-dimensional superimposition to assess growing mandible
Ping Zhu, et al.
Guangzhou, China

Orthognathic surgery accelerates orthodontic tooth movement: a rat model
Min Zou, et al.
Xi'an, China